AKEMI®

according to 1907/2006/EC, Article 31

Printing date 24.08.2017 Version number 1 Revision: 24.08.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: **Spectrum Paste**

11529 - 11532, 11533 - 11537, 11538-11539, 11540, 11541 - 11547, 11548 -Article number:

11557, 11558 - 11567, 11568 - 11572, 11573 - 11578

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the

Stainer mixture

· 1.3 Details of the supplier of the safety data sheet

 Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Laboratory

Lechstrasse 28 D 90451 Nürnberg

Tel. +49(0)911-642960 Fax. +49(0)911-644456 e-mail info@akemi.de

· Further information obtainable from:

· 1.4 Emergency telephone

number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

+44 (171) 635 91 91

National Poison Inform. Centre Medical Toxicology Unit **Avalonley Road** London SE14 5ER

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

Labelling according to Regulation

(EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

 Hazard pictograms Void Void Signal word

· Hazard-determining components

of labelling: Not applicable.

· Hazard statements H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

P273 Avoid release to the environment.

P501 Dispose of contents/container in accordance with local/regional/national/

international regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture: consisting of the following components.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 24.08.2017 Version number 1 Revision: 24.08.2017

Trade name: Spectrum Paste

(Contd. of page 1)

Dangerous components:

CAS: 141-02-6 EINECS: 205-448-2

· Additional information:

bis(2-ethylhexyl)fumarate

🚯 Aquatic Chronic 2, H411

1-5%

Reg.nr.: 01-2119486983-19

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

 General information: Take affected persons out into the fresh air.

Position and transport stably in side position.

No special measures required.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: If skin irritation continues, consult a doctor.

 After eye contact: Rinse opened eye for several minutes under running water.

 After swallowing: Rinse out mouth and then drink plenty of water.

· 4.2 Most important symptoms and effects, both acute and

delayed Headache

Dizziness Nausea

· 4.3 Indication of any immediate medical attention and special

treatment needed If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures

5.1 Extinguishing media

 Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol

resistant foam.

· 5.2 Special hazards arising from

the substance or mixture Formation of toxic gases is possible during heating or in case of fire.

In case of fire, the following can be released:

Carbon monoxide (CO)

Under certain fire conditions, traces of other toxic gases cannot be excluded.

· 5.3 Advice for firefighters

· Protective equipment: Wear self-contained respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures

Ensure adequate ventilation

Use respiratory protective device against the effects of fumes/dust/aerosol.

· 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage

Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

· 6.4 Reference to other sections No dangerous substances are released.

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 24.08.2017 Version number 1 Revision: 24.08.2017

Trade name: Spectrum Paste

See Section 13 for disposal information.

(Contd. of page 2)

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Keep receptacles tightly sealed.

> Use only in well ventilated areas. No special measures required.

· Information about fire - and

explosion protection: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage:

· Requirements to be met by

storerooms and receptacles: Store only in the original receptacle.

Prevent any seepage into the ground.

Information about storage in one

common storage facility: Store away from oxidising agents.

Store away from foodstuffs.

Further information about storage

conditions:

Protect from frost.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· Additional information about

design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that

require monitoring at the

The product does not contain any relevant quantities of materials with critical workplace:

values that have to be monitored at the workplace.

· DNELs

141-02-6 bis(2-ethylhexyl)fumarate

Dermal DNEL (Langzeit-wiederholt) 42 mg/kg bw/day (ARB) Inhalative DNEL (Langzeit-wiederholt) 292 mg/m³ Air (ARB)

· PNECs

141-02-6 bis(2-ethylhexyl)fumarate

PNEC (wässrig) 1.1 mg/l (KA)

0.003 mg/l (SW) 1 mg/l (WAS)

PNEC (fest) 3.2 mg/kg Trockengew (SWS)

The lists valid during the making were used as basis.

· Additional information: · 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic

Do not eat, drink, smoke or sniff while working. measures:

Use skin protection cream for skin protection.

Clean skin thoroughly immediately after handling the product.

· Respiratory protection: Short term filter device:

> Filter A/P2 Not required.

· Protection of hands: Preventive skin protection by use of skin-protecting agents is recommended.

(Contd. on page 4)

according to 1907/2006/EC, Article 31

Printing date 24.08.2017 Version number 1 Revision: 24.08.2017

Trade name: Spectrum Paste

(Contd. of page 3)

After use of gloves apply skin-cleaning agents and skin cosmetics.

Skin protection agent recommendation for preventive skin shelter without use of protective gloves:

STOKO EMULSION (http://www.stoko.com)

ARRETIL (http://www.stoko.com)

Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:

STOKO EMULSION (http://www.stoko.com)

Skin protection recommendation for skin cleaning after product handling:

SLIG SPEZIAL (http://www.stoko.com) SOLOPOL (http://www.stoko.com)

Skin protection agent recommendation for skin aftercare:

STOKO VITAN (http://www.stoko.com)

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory anylyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: http://www.kcl.de).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Butyl rubber, BR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

Value for the permeation: Level ≤ 3, 120 min

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

 For the permanent contact gloves made of the following materials are suitable:

Butoject (KCL, Art_No. 897, 898)

Butyl rubber, BR

 As protection from splashes gloves made of the following materials are suitable:

Butoject (KCL, Art_No. 897, 898)

Nitrile rubber, NBR

Camatril (KCL, 730, 731, 732, 733)

Chloroprene rubber, CR

Camapren (KCL, Art_No. 720, 722, 726) Butoject (KCL, Art_No. 897, 898)

Butyl rubber, BR

· Not suitable are gloves made of the following materials:

Leather gloves

Strong material gloves Nitrile rubber, NBR

Eye protection: Goggles recommended during refilling

(Contd. on page 5)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 24.08.2017 Version number 1 Revision: 24.08.2017

Trade name: Spectrum Paste

Protective work clothing

(Contd. of page 4)

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

- Body protection:

· Appearance:

Form: Pasty

Colour: Various colours · Odour: Specific type · Odour threshold: Not determined. · pH-value: Not applicable

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 184°C

76°C · Flash point:

· Flammability (solid, gas): Not applicable.

· Ignition temperature: 250°C

Not determined. Decomposition temperature:

· Auto-ignition temperature: Product is not selfigniting.

Product does not present an explosion hazard. · Explosive properties:

· Explosion limits:

Not determined. Lower: Not determined. Upper:

· Vapour pressure: Not determined.

· Density at 20°C: 1.4-1.7 g/cm³ · Relative density Not determined. Vapour density Not determined. · Evaporation rate Not determined.

· Solubility in / Miscibility with

Not miscible or difficult to mix. water:

· Partition coefficient: n-octanol/water: Not determined.

· Viscosity:

Not determined. Dynamic: Not determined. Kinematic:

· Solvent content:

Solids content: 50.7 %

· 9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· 10.3 Possibility of hazardous

reactions Exothermic polymerisation.

Reacts with acids.

(Contd. on page 6)



(Contd. of page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 24.08.2017 Version number 1 Revision: 24.08.2017

Trade name: Spectrum Paste

Reacts with strong alkali.

Reacts with strong oxidising agents.

· 10.4 Conditions to avoid · 10.5 Incompatible materials: No further relevant information available. No further relevant information available.

· 10.6 Hazardous decomposition

products:

Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Dermal LD50 >134,707 mg/kg (rabbit)

141-02-6 bis(2-ethylhexyl)fumarate

		29,200 mg/kg (rat)
	NOAEL-Werte	≥1,000 mg/kg (rat)
Dermal		18,840 mg/kg (rabbit)

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met. Serious eye damage/irritation Based on available data, the classification criteria are not met. Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

 Germ cell mutagenicity Based on available data, the classification criteria are not met. · Carcinogenicity Based on available data, the classification criteria are not met. · Reproductive toxicity Based on available data, the classification criteria are not met. · STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Aspiration hazard

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

141-02-6 bis(2-ethylhexyl)fumarate

NOEC 0.76 mg/kg (daphnia magna)

0.3 mg/kg (piscis)

· 12.2 Persistence and

degradability

· 12.3 Bioaccumulative potential

No further relevant information available. No further relevant information available. No further relevant information available.

· 12.4 Mobility in soil

· Additional ecological information:

· General notes: Do not allow undiluted product or large quantities of it to reach ground water,

water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly

hazardous for water

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

(Contd. on page 7)



according to 1907/2006/EC, Article 31

Printing date 24.08.2017 Version number 1 Revision: 24.08.2017

Trade name: Spectrum Paste

(Contd. of page 6)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• <u>Recommendation</u> Must be specially treated adhering to official regulations.

Smaller quantities can be disposed of with household waste.

European waste catalogue
 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS

20 01 00 separately collected fractions (except 15 01)

20 01 27* paint, inks, adhesives and resins containing hazardous substances

Uncleaned packaging:

· Recommendation: Empty contaminated packagings thoroughly. They may be recycled after

thorough and proper cleaning.

· Recommended cleansing agents: Alcohol

acetone

SECTION 14: Transport information

· <u>14.1 UN-Number</u> · <u>ADR, ADN, IMDG, IATA</u>	Void		
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void		
· 14.3 Transport hazard class(es)			
· <u>ADR, ADN, IMDG, IATA</u> · <u>Class</u>	Void		
· <u>14.4 Packing group</u> · <u>ADR, IMDG, IATA</u>	Void		
· 14.5 Environmental hazards: · Marine pollutant:	No		
· 14.6 Special precautions for user	Not applicable.		
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable.			
· Transport/Additional information:	Not dangerous according to the above specifications.		
· UN "Model Regulation":	Void		

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

Named dangerous substances -

ANNEX I None of the ingredients is listed.

· REGULATION (EC) No 1907/2006

ANNEX XVII Conditions of restriction: 3

· National regulations:

· Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

. VOC EU 0.0 g/l

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 24.08.2017 Version number 1 Revision: 24.08.2017

Trade name: Spectrum Paste

(Contd. of page 7)

· 15.2 Chemical safety

A Chemical Safety Assessment has not been carried out. assessment:

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

H411 Toxic to aquatic life with long lasting effects. · Relevant phrases

· Recommended restriction of use refer to Technical Data Sheet (TDS)

Department issuing SDS: Laboratory

Contact: Dieter Zimmermann

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de Abbreviations and acronyms:

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European

Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard - Category 3

REACH directive 1907/2006/EC Sources

· * Data compared to the previous

version altered. Adaptation in accordance with REACH directive 1907/2006/EC